

## APPENDIX A

### REFERENCES

- Angevine, W. M., S. K. Avery, W. L. Ecklund, and D. A. Carter, 1993a: Fluxes of heat and momentum measured with a boundary-layer wind profiler radar-radio acoustic sounding system. *J. Appl. Meteor.*, **32**, 73–80.
- \_\_\_\_\_, \_\_\_\_, and G. L. Kok, 1993b: Virtual heat flux measurements from a boundary-layer profiler-RASS compared to aircraft measurements. *J. Appl. Meteor.*, **32**, 1901–1907.
- \_\_\_\_\_, A. B. White, and S. K. Avery, 1994: Boundary layer depth and entrainment zone characterization with a boundary layer profiler. *Bound.-Layer Meteor.*, **68**, 375–385.
- \_\_\_\_\_, W. L. Clark, and J. M. Warnock, 1998: Entrainment velocity and vertical velocity measurements in convective boundary layers with a triangle of wind profilers. *Bound.-Layer Meteor.*, in press.
- Augustine, J. A., and E. Zipser, 1987: The use of wind profiler in a mesoscale experiment. *Bull. Amer. Meteor. Soc.*, **68**, 4–17.
- Balsley, B. B., and D. T. Farley, 1976: Auroral zone winds detected near the tropopause with the Chatanika UHF Doppler radar. *Geophys. Res. Lett.*, **3**, 525–528.
- \_\_\_\_\_, and K. S. Gage, 1980: The MST radar technique: Potential for middle atmospheric studies. *Pure Appl. Geophys.*, **118**, 452–493.
- \_\_\_\_\_, W. L. Ecklund, D. A. Carter, A. C. Riddle, and K. S. Gage, 1988: Average vertical motions in the tropical atmosphere observed by a radar wind profiler on Pohnpei. *J. Atmos. Sci.*, **45**, 396–405.
- Barth, M. F., R. B. Chadwick, and D. W. van de Kamp, 1994a: Data processing algorithms used by NOAA's Wind Profiler Demonstration Network. *Ann. Geophys.*, **12**, 518–528.
- \_\_\_\_\_, S. W. Sierle, and L. A. Benjamin, 1994b: Operational performance of the Wind Profiler Demonstration Network. *Third Int. Symp. on Tropospheric Profiling: Needs and Technologies*, Geomatikum Universitat, Hamburg, Germany, 209–211.

- Battan, L. J., 1973: *Radar Observation of the Atmosphere*. Univ. of Chicago Press, Chicago, IL, 323 pp.
- Bellue, D. G., K. B. Batson, and T. D. Oram, 1996: Forecasting upper winds for the Space Shuttle. *12<sup>th</sup> Int. Conf. on IIPS for Meteorology, Oceanography, and Hydrology*, Atlanta, GA, American Meteorological Society, Boston, MA, 256–260.
- Beran, D. W., 1985: Automated upper-air profilers for test range support. Preprints, *Conf. on Aerospace and Range Meteorology*, Huntsville, AL, American Meteorological Society, Boston, MA.
- \_\_\_\_\_, 1991: NOAA Wind Profiler Demonstration Network. *Proc. of the Fifth Workshop on Technical and Scientific Aspects of MST Radar (SCOSTEP)*, Dept. of Physics, Univ. College of Wales, Aberystwyth, UK, 405–410.
- \_\_\_\_\_, and L. M. Kaimal, 1989: Test range weather support. *Third Int. Conf. on the Aviation Weather System*, Anaheim, CA, American Meteorological Society, Boston, MA, 87–88.
- Beyrich, F., and U. Gorsdorf, 1995: Composing the diurnal cycle of mixing height from simultaneous sodar and wind profiler measurements. *Bound.-Layer Meteor.*, **76**, 387–394.
- Bluestein, H. B., and D. A. Speheger, 1995: The dynamics of an upper-level trough in the baroclinic westerlies: Analysis based on data from a wind profiler network. *Mon. Wea. Rev.*, **123**, 2369–2383.
- Burk, S. D., and W. T. Thompson, 1989: A vertically nested regional numerical weather prediction model with second-order closure physics. *Mon. Wea. Rev.*, **117**, 2305–2324.
- Caccia, J.-L., B. Benech, and V. Klaus, 1997: Space-time description of nonstationary trapped lee waves using ST radars, aircraft, and constant volume balloons during the PYREX experiment. *J. Atmos. Sci.*, **54**, 1821–1833.
- Carter, D. A., B. B. Balsley, W. L. Ecklund, K. S. Gage, A. C. Riddle, R. Garello, and M. Crochet, 1989: Investigations of internal gravity waves using three vertically directed closely spaced wind profilers. *J. Geophys. Res.*, **94**, 8633–8642.

- \_\_\_\_\_, K. S. Gage, W. L. Ecklund, W. M. Angevine, P. E. Johnston, A. C. Riddle, J. Wilson, and C. R. Williams, 1995: Developments in lower tropospheric wind profiling at the NOAA Aeronomy Laboratory. *Radio Sci.*, **30**, 977–1001.
- Chadwick, R. B., 1986: Wind Profiler Demonstration System. *Workshop on Technical and Scientific Aspects of MST Radar*, Aquadilla, Puerto Rico, *Handbook for MAP*, **20**, URSI/SCOSTEP, Gent Belgium, 336–337.
- \_\_\_\_\_, and E. E. Gossard, 1983: Radar remote sensing of the clear atmosphere—Review and applications. *Proc. IEEE*, **71**, 738–753.
- Ciesielski, P., L. M. Hartten, and R. H. Johnson, 1997: Impacts of merging profiler and rawinsonde winds on TOGA COARE analyses. *J. Atmos. Oceanic Technol.*, in press.
- Cifelli, R., and S. A. Rutledge, 1994: Vertical motion structure in maritime continent mesoscale convective systems: Results from a 50-MHz profiler. *J. Atmos. Sci.*, **51**, 2631–2652.
- \_\_\_\_\_, D. J. Boccippio, T. Matejka, and S. A. Rutledge, 1996: Horizontal divergence and vertical velocity retrievals from Doppler radar and wind profiler observations. *J. Atmos. Oceanic Technol.*, **13**, 948–966.
- Cogan, J., 1995: Test results from a mobile profiler system. *Meteor. Appl.*, **2**, 97–107.
- \_\_\_\_\_, E. Measure, and D. Wolfe, 1997: Atmospheric soundings in near real time from combined satellite and ground-based remotely sensed data. *J. Atmos. Oceanic Technol.*, **14**, 1127–1138.
- Cohn, S. A., 1995: Radar measurements of turbulent eddy dissipation rate in the troposphere: A comparison of techniques. *J. Atmos. Oceanic Technol.*, **12**, 85–95.
- Corrsin, S., 1951: On the spectrum of isotropic temperature fluctuations in isotropic turbulence. *J. Appl. Phys.*, **22**, 469–473.
- Cram, J. M., M. L. Kaplan, C. A. Mattocks, and J. W. Zack, 1991: The use and analysis of profiler winds to derive mesoscale height and temperature fields: Simulation and real-data experiments. *Mon. Wea. Rev.*, **119**, 1040–1056.
- Crochet, M., F. Cuq, F. M. Ralph, and S. V. Venkateswaran, 1990: Clear-air radar observations of the great October storm of 1987. *Dyn. Atmos. Oceans*, **14**, 443–461.

- Davies-Jones, R., D. Burgess, and M. Foster, 1990: Test of helicity as a tornado forecast parameter. Preprints, *16<sup>th</sup> Conf. on Severe Local Storms*, Kananaskis Park, Alberta, Canada, American Meteorological Society, Boston, MA, 588–592.
- Doviak, R. J., and D. S. Zrníć, 1984: *Doppler Radar and Weather Observations*. Academic Press, Orlando, FL, 458 pp.
- \_\_\_\_\_, R. J. Lataitis, C. L. Holloway, J. Van Baelen, and S. Cohn, 1995: A generalized theoretical analysis and application of cross-correlation to spaced-antenna wind profilers. *IGARSS '95, 1995 Int. Geoscience and Remote Sensing Symp.: Quantitative Remote Sensing for Science and Applications*, Vol. 2, Florence, Italy, IEEE, Piscataway, NJ, 1439–1441.
- Eaton, F. D., W. A. Peterson, J. R. Hines, K. R. Peterman, R. E. Goode, R. R. Beland, and J. H. Brown, 1988: Comparisons of VHF radar, optical, and temperature fluctuation measurements of  $C_n^2$ ,  $r_0$ , and  $q_0$ . *Theor. Appl. Climatol.*, **39**, 17–29.
- Ecklund, W. L., and K. S. Gage, 1995: Tropical precipitation studies using 915-MHz wind profilers. *Radio Sci.*, **30**, 1055–1064.
- \_\_\_\_\_, D. A. Carter, and B. B. Balsey, 1979: Continuous measurement of upper atmospheric winds and turbulence using a VHF radar: Preliminary results. *J. Atmos. Terr. Phys.*, **41**, 983–994.
- \_\_\_\_\_, \_\_\_\_\_, and \_\_\_\_\_, 1988: A UHF wind profiler for the boundary layer: Brief description and initial results. *J. Atmos. Oceanic Technol.*, **5**, 432–441.
- Fabry, F., I. Zawadski, and S. Cohn, 1993: The influence of stratiform precipitation on shallow convective rain: A case study. *Mon. Wea. Rev.*, **121**, 3312–3325.
- Fairall, C. W., A. B. White, J. B. Edson, and J. E. Hare, 1997: Integrated shipboard measurements of the marine boundary layer. *J. Atmos. Oceanic Technol.*, **14**, 338–359.
- Farley, D. T., B. B. Balsley, W. E. Swartz, and C. La Hoz, 1979: Tropical winds measured by the Arecibo radar. *J. Appl. Meteor.*, **18**, 227–230.
- Friend, A. W., 1949: Theory and practice of tropospheric sounding by radar. *Proc. IEEE*, **37**, 116–138.
- Fritts, D. C., and T. VanZandt, 1987: Effects of Doppler shifting on the frequency spectra of atmospheric gravity waves. *J. Geophys. Res.*, **92**, 9723–9732.

- \_\_\_\_\_, T. Tsuda, T. Sato, S. Fukao, and S. Kato, 1988: Observational evidence of a saturated gravity wave spectrum in the troposphere and lower stratosphere. *J. Atmos. Sci.*, **45**, 1741–1759.
- Fukao, S., T. Sato, N. Yamasaki, R. M. Harper, and S. Kato, 1982: Winds measured by a UHF Doppler radar and rawinsonde: Comparisons made on 26 days (August–September 1977) at Arecibo, Puerto Rico. *J. Appl. Meteor.*, **21**, 1357–1363.
- Gage, K. S., 1990: Radar observations of the free atmosphere: Structure and dynamics. *Radar in Meteorology*, D. Atlas, Ed., American Meteorological Society, Boston, MA, 534–545.
- \_\_\_\_\_, and G. D. Nastrom, 1985: On the spectrum of atmospheric velocity fluctuations seen by MST/ST radar and their interpretation. *Radio Sci.*, **20**, 1339–1347.
- \_\_\_\_\_, J. R. McAfee, W. G. Collins, D. Soderman, H. Bottger, A. Radford, and B. B. Balsley, 1988: A comparison of winds observed at Christmas Island using a wind-profiling Doppler radar with NMC and ECMWF analyses. *Bull. Amer. Meteor. Soc.*, **69**, 1041–1057.
- \_\_\_\_\_, \_\_\_\_, D. A. Carter, A. C. Riddle, G. C. Reid, and B. B. Balsley, 1991: Direct measurement of long-term mean vertical motions over the tropical Pacific using wind-profiling Doppler radar. *Science*, **254**, 1771–1773.
- \_\_\_\_\_, \_\_\_\_, W. L. Ecklund, D. A. Carter, C. Williams, P. E. Johnston, and A. C. Riddle, 1994a: The Christmas Island wind profiler: A prototype VHF wind-profiling Doppler radar for the tropics. *J. Atmos. Oceanic Technol.*, **11**, 22–31.
- \_\_\_\_\_, C. R. Williams, and W. L. Ecklund, 1994b: UHF wind profilers: A new tool for diagnosing tropical convective cloud systems. *Bull. Amer. Meteor. Soc.*, **75**, 2289–2294.
- \_\_\_\_\_, \_\_\_\_, and \_\_\_\_, 1996a: Application of the 915-MHz profiler for diagnosing and classifying tropical precipitating cloud systems. *Meteor. Atmos. Phys.*, **59**, 141–151.
- \_\_\_\_\_, J. R. McAfee, and C. R. Williams, 1996b: On the annual variation of tropospheric zonal winds observed above Christmas Island in the central equatorial Pacific. *J. Geophys. Res.*, **101**, 15,061–15,070.
- Gossard, E. E., 1988: Measuring drop-size distributions in clouds with clear-air-sensing Doppler radar. *J. Atmos. Oceanic Technol.*, **5**, 640–649.

- \_\_\_\_\_, 1990: Radar research on the atmospheric boundary layer. *Radar in Meteorology*, D. Atlas, Ed., American Meteorological Society, Boston, MA, 447–527.
- \_\_\_\_\_, and R. G. Strauch, 1983: *Radar Observation of Clear Air and Clouds*. Elsevier, Amsterdam, 280 pp.
- \_\_\_\_\_, J. H. Richter, and D. Atlas, 1970: Internal waves in the atmosphere from high-resolution radar measurements. *J. Geophys. Res.*, **75**, 903–913.
- \_\_\_\_\_, R. G. Strauch, B. B. Stankov, and D. E. Wolfe, 1990: Radar-measured height profiles of  $C_n^2$  and turbulence dissipation rate compared with radiosonde data during October 1989 at Denver. NOAA Tech. Report ERL 442-WPL 63, NOAA Wave Propagation Laboratory, Boulder, CO, 115 pp.
- \_\_\_\_\_, D. E. Wolfe, K. P. Moran, R. A. Paulus, K. D. Anderson, and L. T. Rogers, 1997: Measurement of clear-air gradients and turbulence properties with radar wind profilers. *J. Atmos. Oceanic Technol.*, submitted.
- Hardy, K. R., and I. Katz, 1969: Probing the clear atmosphere with high power, high resolution radars. *Proc. IEEE*, **57**, 468–480.
- Heckman, S. T., M. W. Maier, W. P. Roeder, J. B. Lorens, and B. F. Boyd, 1996: The operational use of a boundary layer profiler network at the Eastern Range and Kennedy Space Center. Preprints, 27<sup>th</sup> Conf. on Radar Meteorology, Vail, CO, American Meteorological Society, Boston, MA, 346–348.
- Hocking, W. K., 1985: Measurement of turbulent eddy dissipation rates in the middle atmosphere by radar techniques: A review. *Radio Sci.*, **20**, 1403–1422.
- Huaman, M., and B. B. Balsley, 1996: Long-term average vertical motions observed by VHF wind profilers: The effect of slight antenna pointing inaccuracies. *J. Atmos. Oceanic Technol.*, **13**, 560–569.
- Jin, Y., S. E. Koch, Y.-L. Lin, F. M. Ralph, and C. Chen, 1996: Numerical simulations of an observed gravity current and gravity waves in an environment characterized by complex stratification and shear. *J. Atmos. Sci.*, **53**, 3570–3588.
- Jordan, J. R., R. J. Lataitis, and D. A. Carter, 1997: Removing ground and intermittent clutter contamination from wind profiler signals using wavelet transforms. *J. Atmos. Oceanic Technol.*, **14**, 1280–1297.

- Kaimal, J. C., N. L. Abshire, R. B. Chadwick, M. T. Decker, W. H. Hooke, R. A. Kropfli, W. D. Neff, and F. Pasqualucci, 1982: Estimating the depth of the daytime convective boundary layer. *J. Appl. Meteor.*, **21**, 1123–1129.
- Kuo, Y. H., and Y. R. Guo, 1989: Dynamic initialization using observations from a hypothetical network of profilers. *Mon. Wea. Rev.*, **117**, 1975–1998.
- Larsen, M. F., 1983: Can a VHF Doppler radar provide synoptic wind data? A comparison of 30 days of radar and radiosonde data. *Mon. Wea. Rev.*, **111**, 2047–2057.
- Lawrence, T. R., B. F. Weber, M. J. Post, R. M. Hardesty, R. A. Richter, N. L. Abshire, and F. F. Hall, Jr., 1986: A comparison of Doppler lidar, rawinsonde, and 915-MHz UHF wind profiler measurements of tropospheric winds. NOAA Tech. Memo. ERL WPL-130, NOAA Wave Propagation Laboratory, Boulder, CO, 36 pp. [Available from the National Technical Information Service (NTIS), U.S. Dept. of Commerce, Sills Bldg., 5285 Port Royal Rd., Springfield, VA 22161.]
- Leftwich, P. W., and S. K. Beckman, 1991: A preliminary assessment of the use of 404-MHz wind profiler data at the National Severe Storms Forecast Center. *Lower Tropospheric Profiling: Needs and Technologies, A Symposium*, Boulder, CO, American Meteorological Society, Boston, MA, 177–178.
- Marwitz, J. D., M. K. Politovich, B. C. Bernstein, F. M. Ralph, P. J. Neiman, R. Ashenden, and J. F. Bresch, 1997: Meteorological conditions associated with the ATR-72 aircraft accident near Roselawn, Indiana, on 31 October 1994. *Bull. Amer. Meteor. Soc.*, **78**, 41–52.
- Masuda, Y., and K. Nakamura, 1994: RASS development at CRL. *J. Commun. Res. Lab.*, **4**, 57–58.
- May, P. T., and D. K. Rajopadhyaya, 1996: Wind profiler observations of vertical motion and precipitation microphysics of a tropical squall line. *Mon. Wea. Rev.*, **124**, 621–633.
- \_\_\_\_\_, and R. G. Strauch, 1998: Reducing the effect of ground clutter on wind profiler velocity measurements. *J. Atmos. Oceanic Technol.*, in press.
- \_\_\_\_\_, and J. M. Wilczak, 1993: Diurnal and seasonal variation of boundary-layer structure observed with a radar wind profiler and RASS. *Mon. Wea. Rev.*, **121**, 673–682.

- \_\_\_\_\_, R. G. Strauch, and K. P. Moran, 1989: RASS applied to wind profiler radars. *IGARSS '89, 12<sup>th</sup> Canadian Symp. on Remote Sensing: Quantitative Remote Sensing—An Economic Tool for the Nineties*, Vol. 4, Vancouver, B.C., Canada, IEEE, Piscataway, NJ, 2285–2288.
- McAfee, J. R., R. G. Strauch, and K. S. Gage, 1994: Examples of virtual velocity comparison from collocated VHF and UHF profilers. *Radio Sci.*, **34**, 1027–1042.
- \_\_\_\_\_, K. S. Gage, and R. G. Strauch, 1995: Vertical air velocities at Platteville, Colorado: An intercomparison of simultaneous measurements by the VHF and UHF profilers. *Radio Sci.*, **34**, 1027–1042.
- McLaughlin, S. A., 1992: The U.S. Army ultra-high resolution turbulence profiling FM-CW radar: Description and data. *Proc. SPIE*, **1688**, 294–298.
- McPhaden, M. J., A. J. Busalacchi, R. Cheney, J.-R. Donguy, K. S. Gage, D. Halpern, M. Ji, P. Julian, G. Meyers, G. T. Mitchum, P. P. Niiler, J. Picaut, R. W. Reynolds, N. Smith, and K. Takeuchi, 1997: The Tropical Ocean Global Atmosphere (TOGA) Observing System: A decade of progress. *J. Geophys. Res.*, in press.
- Merceret, F. J., 1997: On rapid temporal changes of mid-tropospheric winds. *J. Appl. Meteor.*, **36**, 1567–1575.
- \_\_\_\_\_, 1998: Risk assessment consequences of the lognormal distribution of mid-tropospheric wind changes. *J. Spacecraft Rockets*, accepted.
- Merritt, D., 1995: A statistical averaging method for wind profile Doppler spectra. *J. Atmos. Oceanic Technol.*, **12**, 985–995.
- \_\_\_\_\_, T. L. Wilfong, A. J. Francavilla, D. B. Wuertz, M. K. Simon, and B. L. Weber, 1997: Application of the Prototype Control, Acquisition, and Signal Processing Engine for Radars (CASPER) to wind profilers and RASS. Preprints, *28<sup>th</sup> Conf. on Radar Meteorology*, Austin, TX, American Meteorological Society, Boston, MA, 244–245.
- Miller, M. J., R. W. Arritt, and K. Labas, 1993: Wind profiler analysis of low-level jet interaction with nocturnal convection. Preprints, *Eighth Symp. on Meteorological Observations and Instrumentation*, Anaheim, CA, American Meteorological Society, Boston, MA, 270–273.
- Moran, K. P., and R. G. Strauch, 1994: The accuracy of RASS temperature measurements corrected for vertical air motions. *J. Atmos. Oceanic Technol.*, **11**, 995–1001.

- \_\_\_\_\_, \_\_\_\_, K. B. Earnshaw, D. A. Merritt, B. L. Weber, and D. B. Wuertz, 1989: Lower tropospheric wind profiler. Preprints, 24<sup>th</sup> Conf. on Radar Meteorology, Tallahassee, FL, American Meteorological Society, Boston, MA, 728–731.
- \_\_\_\_\_, D. B. Wuertz, R. G. Strauch, N. L. Abshire, and D. C. Law, 1991: Temperature sounding with wind profiler radars. *J. Atmos. Oceanic Technol.*, **8**, 606–608.
- Morris, K. R., 1993: Application of helicity to tornado severity forecasting using hourly wind profiler data. Preprints, 13<sup>th</sup> Conf. on Weather Forecasting and Analysis, Vienna, VA, American Meteorological Society, Boston, MA, 500–503.
- Nastrom, G. D., and K. S. Gage, 1984: A brief climatology of vertical wind variability in the troposphere and stratosphere as seen by the Poker Flat MST radar. *J. Climate Appl. Meteor.*, **23**, 453–460.
- \_\_\_\_\_, and T. E. VanZandt, 1994: On mean vertical motions seen by radar wind profilers. *J. Appl. Meteor.*, **33**, 984–995.
- \_\_\_\_\_, D. Fritts, and K. S. Gage, 1987: An investigation of terrain effects on the mesoscale spectrum of atmospheric motions. *J. Atmos. Sci.*, **44**, 3087–3096.
- \_\_\_\_\_, M. R. Peterson, J. L. Green, K. S. Gage, and T. E. VanZandt, 1990: Sources of gravity wave activity seen in the vertical velocities observed by the Flatland VHF radar. *J. Appl. Meteor.*, **29**, 783–792.
- Neff, W. D., 1994: Mesoscale air quality studies with meteorological remote sensing systems. *Int. J. Remote Sens.*, **15**, 393–426.
- Neiman, P. J., and M. A. Shapiro, 1989: Retrieving horizontal temperature gradients and advections from single-station wind profiler observations. *Wea. Forecasting*, **4**, 222–233.
- \_\_\_\_\_, P. T. May, and M. A. Shapiro, 1992: Radio Acoustic Sounding System (RASS) and wind profiler observations of lower- and midtropospheric weather systems. *Mon. Wea. Rev.*, **120**, 2298–2313.
- \_\_\_\_\_, M. A. Shapiro, B. F. Smull, and D. Johnson, 1995: A comparison of offshore observations and coastal wind profiler observations during a land-falling frontal system adjacent to steep topography. Preprints, 7<sup>th</sup> Conf. on Mountain Meteorology, Breckenridge, CO, American Meteorological Society, Boston, MA, 245–250.

\_\_\_\_\_, \_\_\_\_, F. M. Ralph, B. Smull, and D. Johnson, 1997: An observational study of fronts and frontal mergers over the Continental United States. *Mon. Wea. Rev.*, submitted.

Ottersten, H., 1969: Atmospheric structure and radar backscattering in clear air. *Radio Sci.*, **4**, 1179–1193.

Parsons, D., W. Dabberdt, H. Cole, T. Hock, C. Martin, A. Barrett, E. Miller, M. Spowart, M. Howard, W. Ecklund, D. Carter, K. Gage, and J. Wilson, 1994: The integrated sounding system: Description and preliminary observations from TOGA COARE. *Bull. Amer. Meteor. Soc.*, **75**, 553–567.

Peltier, L. J., and J. C. Wyngaard, 1995: Structure function parameters in the convective boundary layer from large-eddy simulation. *J. Atmos. Sci.*, **52**, 3641–3660.

Peters, G., H. Hinzpeter, and G. Baumann, 1985: Measurements of heat flux in the atmospheric boundary layer by sodar and RASS: A first attempt. *Radio Sci.*, **6**, 1555–1564.

Post, M. J., C. W. Fairall, J. B. Snider, Y. Han, A. B. White, W. L. Ecklund, K. M. Weickmann, P. K. Quinn, D. I. Cooper, S. M. Sekelsky, R. E. McIntosh, P. Minnett, and R. O. Knuteson, 1997: The Combined Sensor Program: An air-sea science mission in the central and western Pacific Ocean. *Bull. Amer. Meteor. Soc.*, **78**, 2797–2815.

Prichard, I. T., and L. Thomas, 1993: Radar observations of gravity wave momentum fluxes in the troposphere and lower stratosphere. *Ann. Geophys.*, **11**, 1075–1083.

\_\_\_\_\_, \_\_\_\_, and R. M. Worthington, 1995: The characteristics of mountain waves observed by radar near the west coast of Wales. *Ann. Geophys.*, **13**, 757–767.

Rajopadhyaya, D. K., P. T. May, and R. A. Vincent, 1994: The retrieval of ice particle size information from VHF wind profiler Doppler power spectra. *J. Atmos. Oceanic Technol.*, **11**, 1559–1568.

Ralph, F. M., 1991: Mesoscale studies using clear-air Doppler radar. Ph.D. Dissertation, Univ. of California at Los Angeles, 177 pp.

\_\_\_\_\_, 1995: Using radar-measured radial vertical velocities to distinguish precipitation scattering from clear-air scattering. *J. Atmos. Oceanic Technol.*, **12**, 257–267.

- \_\_\_\_\_, M. Crochet, and S. V. Venkateswaran, 1992: A study of mountain lee waves using clear-air Doppler radar. *Quart. J. Roy. Meteor. Soc.*, **118**, 597–627.
- \_\_\_\_\_, C. Mazaudier, M. Crochet, and S. V. Venkateswaran, 1993a: Doppler sodar and radar wind profiler observations of gravity wave activity associated with a gravity current. *Mon. Wea. Rev.*, **121**, 444–463.
- \_\_\_\_\_, M. Crochet, and S. V. Venkateswaran, 1993b: Observations of a mesoscale ducted gravity wave. *J. Atmos. Sci.*, **50**, 3277–3291.
- \_\_\_\_\_, P. J. Neiman, D. W. van de Kamp, and D. C. Law, 1995: Using spectral moment data from NOAA's 404-MHz radar wind profilers to observe precipitation. *Bull. Amer. Meteor. Soc.*, **76**, 1717–1739.
- \_\_\_\_\_, \_\_\_\_\_, and D. Ruffieux, 1996: Precipitation identification from radar wind profiler spectral moment data: Vertical velocity histograms, velocity variance, and signal power–vertical velocity correlations. *J. Atmos. Oceanic Technol.*, **13**, 545–559.
- \_\_\_\_\_, \_\_\_\_\_, T. L. Keller, D. Levinson, and L. Fedor, 1997: Observations, simulations, and analysis of nonstationary trapped lee waves. *J. Atmos. Sci.*, **54**, 1308–1333.
- \_\_\_\_\_, L. Armi, J. Bane, C. Dorman, W. D. Neff, P. J. Neiman, W. Nuss, and P. O. G. Persson, 1998: Observations and analysis of the 10–11 June 1994 coastally trapped disturbance. *Mon. Wea. Rev.*, in press.
- Richter, J. H., 1969: High-resolution tropospheric radar sounding. *Radio Sci.*, **4**, 1261–1268.
- Rogers, R. R., W. L. Ecklund, D. A. Carter, K. S. Gage, and S. A. Ethier, 1993: Research applications of a boundary layer wind profiler. *Bull. Amer. Meteor. Soc.*, **74**, 567–580.
- Rottger, J., and M. F. Larsen, 1990: UHF/VHF radar techniques for atmospheric research and wind profiler applications. *Radar in Meteorology: Battan Memorial and 40<sup>th</sup> Anniversary Radar Meteorology Conf.*, David Atlas, Ed., American Meteorological Society, Boston, MA, 235–281.

- Saxton, J. A., S. A. Lane, and R. W. Meadows, 1964: Layer structure of the troposphere-simultaneous radar and microwave refractometer investigations. *Proc. IEEE London*, **3**, 275–283.
- Schlatter, T. W., and F. S. Zbar, Eds., 1994: Wind profiler assessment report and recommendations for future use. U.S. Dept. of Commerce, NOAA, Silver Spring, MD, 141 pp.
- Shapiro, M. A., T. Hample, and D. W. van de Kamp, 1984: Radar wind profiler observations of fronts and jet streaks. *Mon. Wea. Rev.*, **112**, 1263–1266.
- Shiyuan Z., J. D. Fast, and B. Xindi, 1996: A case study of the Great Plains low-level jet using wind profiler network data and a high-resolution mesoscale model. *Mon. Wea. Rev.*, **124**, 785–806.
- Shumann, R. S., G. T. Taylor, F. J. Meceret, and T. L. Wilfong, 1998: Performance of the Kennedy Space Center 50-MHz Doppler radar wind profiler using the median filter/first guess data reduction algorithm. *J. Atmos. Oceanic Technol.*, submitted.
- Smith, T. L., and S. G. Benjamin, 1993: Impact of network wind profiler data on a 3-h data assimilation system. *Bull. Amer. Meteor. Soc.*, **74**, 801–807.
- Spencer, P. L., F. H. Carr, and C. A. Doswell III, 1996: Diagnosis of an amplifying and decaying baroclinic wave using wind profiler data. *Mon. Wea. Rev.*, **124**, 209–223.
- Stokes, G. M., and S. E. Schwartz, 1994: The Atmospheric Radiation Measurement (ARM) program: Programmatic background and design of the cloud and radiation testbed. *Bull. Amer. Meteor. Soc.*, **75**, 1201–1221.
- Strauch, R. G., D. A. Merritt, K. P. Moran, K. B. Earnshaw, and D. C. Welsh, 1984: The Colorado wind profiling network. *J. Atmos. Oceanic Technol.*, **1**, 37–49.
- \_\_\_\_\_, B. L. Weber, A. S. Frisch, C. G. Little, D. A. Merritt, K. P. Moran, and D. C. Welsh, 1987: The precision and relative accuracy of wind profiler measurements. *J. Atmos. Oceanic Technol.*, **4**, 563–571.

- \_\_\_\_\_, K. P. Moran, P. T. May, A. J. Bedard, and W. L. Eckland, 1989: RASS temperature sounding techniques. NOAA Tech. Memo. ERL WPL-158, NOAA Wave Propagation Laboratory, Boulder, CO, 12 pp.
- VanZandt, T. E., 1982: A universal spectrum of buoyancy waves in the atmosphere. *Geophys. Res. Lett.*, **9**, 575–578.
- \_\_\_\_\_, 1985: A model for gravity wave spectra observed by Doppler sounding systems. *Radio Sci.*, **20**, 1323–1330.
- \_\_\_\_\_, G. D. Nastrom, and J. L. Green, 1991: Frequency spectra of vertical velocity from Flatland VHF radar data. *J. Geophys. Res.*, **96**, 2845–2855.
- Vincent, R. A., and I. M. Reid, 1983: HF Doppler measurements of mesospheric gravity wave momentum fluxes. *J. Atmos. Sci.*, **40**, 1321–1333.
- Wakasugi, K., A. Mizutani, and M. Matsuo, 1986: A direct method for deriving drop-size distribution and vertical air velocities from VHF Doppler radar spectra. *J. Atmos. Oceanic Technol.*, **3**, 623–629.
- \_\_\_\_\_, \_\_\_\_\_, and \_\_\_\_\_, 1987: Further discussion on deriving drop-size distribution and vertical air velocities from VHF Doppler radar spectra. *J. Atmos. Oceanic Technol.*, **4**, 170–179.
- Weber, B. L., and D. B. Wuertz, 1990: Comparison of rawinsonde and wind profiler radar measurements. *J. Atmos. Oceanic Technol.*, **7**, 157–174.
- \_\_\_\_\_, \_\_\_\_\_, R. G. Strauch, D. A. Merritt, K. P. Moran, D. C. Law, D. van de Kamp, R. B. Chadwick, M. H. Ackley, M. F. Barth, N. L. Abshire, P. A. Miller, and T. W. Schlatter, 1990: Preliminary evaluation of the first NOAA demonstration network wind profiler. *J. Atmos. Oceanic Technol.*, **7**, 909–918.
- Webster, P. J., 1994: The role of the hydrological processes in ocean-atmosphere interactions. *Rev. Geophys.*, **32**, 427–476.
- \_\_\_\_\_, and J. R. Holton, 1982: Cross-equatorial response to mid-latitude forcing in a zonally varying basic state. *J. Atmos. Sci.*, **39**, 722–733.

- White, A. B., 1993: Mixing depth detection using 915-MHz radar reflectivity data. Preprints, *Eighth Symp. on Observations and Instrumentation*, Anaheim, CA, American Meteorological Society, Boston, MA, 248–250.
- \_\_\_\_\_, 1996: Radar remote sensing of scalar and velocity microturbulence in the convective boundary layer. NOAA Tech. Memo. ERL ETL-276, NOAA Environmental Technology Laboratory, Boulder, CO, 127 pp.
- \_\_\_\_\_, C. W. Fairall, and D. W. Thomson, 1991: Radar observations of humidity variability in and above the marine atmospheric boundary layer. *J. Atmos. Oceanic Technol.*, **8**, 639–658.
- \_\_\_\_\_, C. Seneff, and R. M. Banta, 1998: A comparison of mixing depths observed by ground-based wind profilers and an airborne lidar. *J. Atmos. Oceanic Technol.*, in press.
- Wilczak, J. M., and T. W. Christian, 1990: Case study of an orographically induced mesoscale vortex (Denver Cyclone). *Mon. Wea. Rev.*, **118**, 1082–1102.
- \_\_\_\_\_, and J. W. Glendening, 1988: Observations and mixed-layer modeling of a terrain-induced mesoscale gyre: The Denver Cyclone. *Mon. Wea. Rev.*, **116**, 2688–2711.
- \_\_\_\_\_, T. W. Christian, D. E. Wolfe, R. J. Zamora, and B. Stankov, 1992: Observations of a Colorado tornado. Part I: Mesoscale environment and tornadogenesis. *Mon. Wea. Rev.*, **120**, 497–520.
- \_\_\_\_\_, R. G. Strauch, F. M. Ralph, B. L. Weber, D. A. Merritt, J. R. Jordan, D. E. Wolfe, L. K. Lewis, D. B. Wuertz, J. E. Gaynor, S. A. McLaughlin, R. R. Rogers, A. C. Riddle, and T. S. Dye, 1995: Contamination of wind profiler data by migrating birds: Characteristics of corrupted data and potential solutions. *J. Atmos. Oceanic Technol.*, **12**, 449–467.
- Wilfong, T. L., S. A. Smith, and R. L. Creasy, 1993: High temporal resolution velocity estimates from a wind profiler. *J. Spacecraft Rockets*, **30**, 348–354.
- \_\_\_\_\_, B. L. Weber, D. B. Wuertz, and D. A. Merritt, 1997: Wind profilers: Next generation signal processing. Preprints, *28<sup>th</sup> Conf. on Radar Meteorology*, Austin, TX, American Meteorological Society, Boston, MA, 242–243.

Williams, C. R., W. L. Ecklund, and K. S. Gage, 1995: Classification of precipitating clouds in the tropics using 915-MHz wind profilers. *J. Atmos. Oceanic Technol.*, **12**, 996–1012.

Wolfe, D., B. Weber, D. Wuertz, D. Welsh, D. Merritt, S. King, R. Fritz, K. Moran, M. Simon, A. Simon, J. Cogan, D. Littell, and E. Measure, 1995: An overview of the mobile profiler system (Profiler): Preliminary results from field tests during the Los Angeles free radical study. *Bull. Amer. Meteor. Soc.*, **76**, 523–534.

Worthington, R. M., and L. Thomas, 1996: The measurement of gravity wave momentum flux in the lower atmosphere using VHF radar. *Radio Sci.*, **31**, 1501–1518.

Wuertz, D. B., B. L. Weber, R. G. Strauch, A. S. Frisch, C. G. Little, D. A. Merritt, K. P. Moran, and D. C. Welsh, 1988: Effects of precipitation on UHF wind profiler measurements. *J. Atmos. Oceanic Technol.*, **5**, 450–465.

Wyngaard, J. C., and M. A. LeMone, 1980: Behavior of the refractive index structure parameter in the entraining convective boundary layer. *J. Atmos. Sci.*, **35**, 1573–1583.

Yoe, J. G., M. F. Larson, and E. J. Zipser, 1992: VHF wind profiler data quality and comparisons of methods for deducing horizontal and vertical air motions in a mesoscale convective storm. *J. Atmos. Oceanic Technol.*, **9**, 713–727.

Zamora, R. J., M. A. Shapiro, and C. A. Doswell III, 1987: The diagnosis of upper-tropospheric divergence and ageostrophic wind using wind profiler wind observations. *Mon. Wea. Rev.*, **115**, 871–884.